Catalogue NAIL GUN



CN100 Pneumatic Coil Nail Gun

Model:	CN100 Pneumatic Coil Nail Gun
Air Tool Type:	Air Nailer
Tool Diamensions:	417mmx156mmx336mm(16-3/8"x6-1/8"x13-1/4")
Net Tool Weight:	5.35kgs(11.66lbs) Aluminum Body
	5.11kgs(11.26lbs) Magnesium Body
Body Material:	Aluminum Body
	Magnesium Body
Operate Pressure:	70-120psi(5-8.3bar)
Load Capacity:	150-300 Nails
Fasteners Type:	15 Degree Flat wire coil nails
Fasteners Head Diameter:	0.256"(6.5mm)-0.295"(7.5mm)
Fasteners Shank Diameter:	0.099"(2.5mm)-0.131"(3.3mm)
Fasteners Length:	2-1/2"(65mm)-4"(100mm)
Fasteners Shank Type:	Smooth,Screw,Ring



CN57 Pneumatic Coil Siding Nailer

Model:	CN57 Pneumatic Coil Siding Nailer
Air Tool Type:	Air Nailer
Tool Diamensions:	270mmx131mmx283mm(10-5/8"x5-1/8"x11-1/8"
Net Tool Weight:	2.68kgs(5.91lbs)
Body Material:	Aluminum Body
Operate Pressure:	70-120psi(5-8.3bar)
Load Capacity:	300-350 Nails
Fasteners Type:	15 Degree Flat wire coil nails
Fasteners Head Diameter:	0.197"(5.0mm)-0.224"(5.7mm)
Fasteners Shank Diameter:	0.083"(2.1mm)-0.091"(2.3mm)
Fasteners Length:	1"(25mm)-2-1/4"(57mm)
Fasteners Shank Type:	Smooth,Screw,Ring



CN565X Pneumatic Coil Nail Gun

Model:	CN565X Pneumatic Coil Nail Gun
Air Tool Type:	Air Nailer
Tools Product Type:	Air Tool
Tool Diamensions:	315mmx128mmx306mm(12-7/16"x5"x12-1/16"
Net Tool Weight:	3.67kgs(8.07lbs)
Body Material:	Aluminum Body
Operate Pressure:	70-120psi(5-8.3bar)
Load Capcity	225-300 nails
Fasteners Type:	15 Degree flat wire coil nails
	15 Degree Flat plastic sheet collated nails
Fasteners Head Diameter:	0.197"(5.0mm)-0.236"(6.0mm)
Fasteners Shank Diameter:	0.083"(2.1mm)-0.099"(2.5mm)
Fasteners Length:	1-1/4"(32mm)-2-1/2"(65mm)
Fasteners Shank Type:	Smooth,Screw,Ring



CN70 Pneumatic Coil Siding Nail Gun

Model:	CN70 Pneumatic Coil Siding Nailer
Air Tool Type:	Air Nailer
Tool Diamensions:	315mmx128mmx306mm(12-7/16"x5"x12-1/16")
Net Tool Weight:	3.67kgs(8.07lbs)
Body Material:	Aluminum Body
Operate Pressure:	70-120psi(5-8.3bar)
Load Capacity:	225-300 Nails
Fasteners Type:	15 Degree Flat wire coil nails
Fasteners Head Diameter:	0.197"(5.0mm)-0.276"(7.0mm)
Fasteners Shank Diameter:	0.091"(2.3mm)-0.113"(2.9mm)
Fasteners Length:	1-3/4"(45mm)-2-3/4"(70mm)
Fasteners Shank Type:	Smooth,Screw,Ring



CN90 Pneumatic Coil Siding Nailer

Model:	CN90 Pneumatic Coil Siding Nailer
Air Tool Type:	Air Nailer
Tool Diamensions:	362mmx132mmx307mm(14-1/4"x5-3/16"x12-1/8"
Net Tool Weight:	4.10kgs(9.02lbs)
Body Material:	Aluminum Body
Operate Pressure:	70-120psi(5-8.3bar)
Load Capacity:	225-275 Nails
Fasteners Type:	15 Degree Flat wire coil nails
Fasteners Head Diameter:	0.236"(6.0mm)-0.315"(8.0mm)
Fasteners Shank Diameter:	0.113"(2.87mm)-0.131"(3.3mm)
Fasteners Length:	2"(50mm)-3-9/16"(90mm)
Fasteners Shank Type:	Smooth,Screw,Ring



CRN45 Pneumatic Coil Roofing Nailer

Model:	CRN45 Pneumatic Coil Roofing Nailer
Air Tool Type:	Air Nailer
Tool Diamensions:	313mmx116mmx271mm(12-3/8"x4-5/8"x10-5/8"
Net Tool Weight:	2.58kgs(5.67lbs)
Body Material:	Aluminum Body
Operate Pressure:	70-120psi(5-8.3bar)
Load Capacity:	120 Nails
Fasteners Type:	15 Degree wire coil roofing nails
Fasteners Head Diameter:	0.413"(10.5mm)
Fasteners Shank Diameter:	0.120"(3.05mm)
Fasteners Length:	3/4"(19mm)-1-3/4"(45mm)



CN100EPAL Pneumatic Coil Nailer

Model:	CN100EPAL Pneumatic Coil Nail Gun
Air Tool Type:	Air Nailer
Tool Diamensions:	457mmx156mmx336mm(18"x6-1/8"x13-1/4")
Net Tool Weight:	5.35kgs(11.66lbs) Aluminum Body
	5.11kgs(11.26lbs) Magnesium Body
Body Material:	Aluminum Body
	Magnesium Body
Operate Pressure:	70-120psi(5-8.3bar)
Load Capacity:	150-300 Nails
Fasteners Type:	15 Degree Collated Wire E-PAL Nails
Fasteners Head Diameter:	0.338"(8.6mm)
Fasteners Shank Diameter:	0.138"(3.5mm)
Fasteners Length:	2-3/4"(70mm)-3-1/2"(90mm)
Fasteners Shank Type:	Smooth,Screw,Ring



CN80F Pneumatic Coil Framing Nailer

Model:	CN80F Pneumatic Coil Framing Nailer
Air Tool Type:	Air Nailer
Tool Diamensions:	362mmx307mmx132mm(14-1/4"x12-1/8"x5-3/16"
Net Tool Weight:	3.50kgs(7.70lbs)
Body Material:	Magnesium Body
Operate Pressure:	70-120psi(5-8.3bar)
Load Capacity:	225-300 Nails
Fasteners Type:	15 Degree Flat wire coil nails
Fasteners Head Diameter:	0.236"(6.0mm)-0.315"(8.0mm)
Fasteners Shank Diameter:	0.099"(2.5mm)-0.131"(3.3mm)
Fasteners Length:	2"(50mm)-3-1/4"(83mm)
Fasteners Shank Type:	Smooth,Screw,Ring



NP45 Pneumatic Nail Puller for recycle pallet, Nail remover, Air Nail Punch

Model:	NP45 Pneumatic Nail Puller
Air Tool Type:	Air Nailer
Tool Diamensions:	230mmx96mmx357mm(9-1/6"x3-25/32"x14-1/16"
Net Tool Weight:	2.35kgs(5.17lbs)
Body Material:	Aluminum Body
Operate Pressure:	70-120psi (5-8.3bar)
Load Capacity:	50 Nails
Fasteners Type:	0 Degree flat plastic sheet concrete coil nails
Fasteners Shank Diameter:	0.114"(2.9mm)-0.161"(4.10mm)
Fasteners Length:	1"(25mm)-2-1/2"(65mm)
Fasteners Shank Type:	Smooth,Screw,Ring



CN80 Pneumatic Coil Framing Nail gun

Model:	CN80 Pneumatic Coil Framing Nailer
Air Tool Type:	Air Nailer
Tool Diamensions:	362mmx132mmx307mm(14-1/4"x5-3/16"x12-1/8"
Net Tool Weight:	3.98kgs(8.78lbs)
Body Material:	Aluminum Body
Operate Pressure:	70-120psi(5-8.3bar)
Load Capacity:	225-300 Nails
Fasteners Type:	15 Degree Flat wire coil nails
Fasteners Head Diameter:	0.236"(6.0mm)-0.315"(8.0mm)
Fasteners Shank Diameter:	0.099"(2.5mm)-0.131"(3.3mm)
Fasteners Length:	2"(50mm)-3-1/4"(83mm)
Fasteners Shank Type:	Smooth,Screw,Ring



CN565B Pneumatic Coil Siding Nailer

Model:	CN565B Pneumatic Coil Siding Nailer
Air Tool Type:	Air Nailer
Tools Product Type:	Air Tool
Tool Diamensions:	320mmx130mmx273mm(12-9/16"x5-1/8"x10-3/4")
Net Tool Weight:	2.50kgs(5.50lbs)
Body Material:	Aluminum Body
Operate Pressure:	70-120psi(5-8.3bar)
	250-400 nails (15 degree flat wire coil nails)
Load Capacity:	200 nails (Plastic sheet collated nails)
	15 Degree flat wire coil nails
Fasteners Type:	15 Degree Flat plastic sheet collated nails
Fasteners Head Diameter:	0.197"(5.0mm)-0.236"(6.0mm)
Fasteners Shank Diameter:	0.091"(2.3mm)-0.099"(2.5mm)
	1-3/4"(45mm)-2-1/2"(65mm) Wire coil nails
Fasteners Length:	1-1/4"(32mm)-2-1/2"(65mm) Plastic collated
Fasteners Shank Type:	Smooth,Screw,Ring



CN45 Pneumatic Coil Siding Nailer

Model:	CN45 Pneumatic Coil Siding Nailer
Air Tool Type:	Air Nailer
Tool Diamensions:	248mmx108mmx260mm(11-1/8"x4-1/4"x10-1/8")
Net Tool Weight:	1.60kgs(3.50lbs)
Body Material:	Aluminum Body
Operate Pressure:	70-120psi(5-8.3bar)
	400 nails (Conical wire coil nails)
Load Capacity:	200 nails (Plastic sheet collated nails)
	15 Degree Conical wire coil nails
Fasteners Type:	15 Degree Flat plastic sheet collated nails
Fasteners Head Diameter:	0.138"(3.5mm)-0.197"(5.0mm)
Fasteners Shank Diameter:	0.063"(1.59mm)-0.083"(2.1mm)
Fasteners Length:	1"(25mm)-2"(50mm)
Fasteners Shank Type:	Smooth,Screw,Ring



CN90B Pneumatic Best Framing Nailer

Model:	CN90B Pneumatic Best Framing Nailer
Air Tool Type:	Air Nailer
Tool Diamensions:	360mmx312mmx141mm(14-1/4"x12-3/8"x5-5/8")
Net Tool Weight:	3.90kgs(8.58lbs) Aluminum Body
	3.50kgs(7.70lbs) Magnesium Body
Body Material:	Aluminum Body
	Magnesium Body
Operate Pressure:	70-120psi(5-8.3bar)
Load Capacity:	200-300 Nails
Fasteners Type:	15 Degree Flat wire coil nails
Fasteners Head Diameter:	0.236"(6.0mm)-0.315"(8.0mm)
Fasteners Shank Diameter:	0.113"(2.87mm)-0.131"(3.3mm)
Fasteners Length:	2"(50mm)-3-9/16"(90mm)
Fasteners Shank Type:	Smooth,Screw,Ring



CN80PAL Pneumatic Coil Nailer For Automated Pallet Machine

Model:	CN80PAL Pneumatic Coil Nailer For Automated Pallet Machine	_
Air Tool Type:	Air Nailer	
Net Tool Weight:	3.02kgs(6.66lbs)	
Body Material:	Aluminum Body	9
Operate Pressure:	70-120psi(5-8.3bar)	CHOPAL
Load Capacity:	3000 Nails	
Fasteners Type:	15 Degree Jumbo coil nails	//.
Fasteners Head Diameter:	0.236"(6.0mm)-0.315"(8.0mm)	
Fasteners Shank Diameter:	0.099"(2.5mm)-0.131"(3.3mm)	
Fasteners Length:	2"(50mm)-3-1/4"(83mm)	
Fasteners Shank Type:	Smooth,Screw,Ring	

CN55 Pneumatic Coil Siding Nailer

Model:	CN55 Pneumatic Coil Siding Nailer
Air Tool Type:	Air Nailer
Tool Diamensions:	335mmx130mmx295mm(13-3/8"x5-1/8"x11-5/8"
Net Tool Weight:	2.88kgs(6.33lbs)
Body Material:	Aluminum Body
Operate Pressure:	70-120psi(5-8.3bar)
Load Capacity:	250-400 Nails
Fasteners Type:	15 Degree Flat wire coil nails
Fasteners Head Diameter:	0.197"(5.0mm)-0.236"(6.0mm)
Fasteners Shank Diameter:	0.083"(2.1mm)-0.099"(2.5mm)
Fasteners Length:	1-1/4"(32mm)-2-1/4"(57mm)
Fasteners Shank Type:	Smooth,Screw,Ring



NC65AC Pneumatic Concrete Coil Nail Gun

Model:	NC65AC Pneumatic Concrete Coil Nail Gun
Air Tool Type:	Air Nailer
Tool Diamensions:	230mmx96mmx357mm(9-1/6"x3-25/32"x14-1/16"
Net Tool Weight:	2.35kgs(5.17lbs)
Body Material:	Aluminum Body
Operate Pressure:	70-120psi (5-8.3bar)
Load Capacity:	50 Nails
Fasteners Type:	0 Degree flat plastic sheet concrete coil nails
Fasteners Shank Diameter:	0.114"(2.9mm)-0.161"(4.10mm)
Fasteners Length:	1"(25mm)-2-1/2"(65mm)
Fasteners Shank Type:	Smooth,Screw,Ring



CN50G Pneumatic Construction Coil Nailer

Model:	CN50G Pneumatic Construction Coil Naile
Air Tool Type:	Air Nailer
Tool Diamensions:	299mmx133mmx260mm(11-3/4"x5-1/4"x10-3/8")
Net Tool Weight:	1.75kgs(3.86lbs) Aluminum Body
Body Material:	Aluminum Body
Operate Pressure:	70-100psi(5-7bar)
Load Capacity:	200 Nails
Fasteners Type:	15 Degree flat plastic sheet coil nails
Fasteners Head Diameter:	0.208"(5.3mm)-0.281"(7.15mm)
Fasteners Shank Diameter:	0.086"(2.2mm)-0.099"(2.5mm)
Fasteners Length:	1"(25mm)-2"(50mm)
Fasteners Shank Type:	Smooth,Screw,Ring



CN70PAL Pneumatic Coil Nailer For Automated Pallet Machine

Model:	CN70PAL Pneumatic Coil Nailer For Automated Pallet M hine
Air Tool Type:	Air Nailer
Net Tool Weight:	3.02kgs(6.66lbs)
Body Material:	Aluminum Body
Operate Pressure:	70-120psi(5-8.3bar)
Load Capacity:	3000 Nails
Fasteners Type:	15 Degree Jumbo coil nails
Fasteners Head Diameter:	0.197"(5.0mm)-0.276"(7.0mm)
Fasteners Shank Diameter:	0.091"(2.3mm)-0.113"(2.9mm)
Fasteners Length:	1-3/4"(45mm)-2-3/4"(70mm)
Fasteners Shank Type:	Smooth,Screw,Ring



CRN45A Pneumatic Coil Roofing Nailer

Model:	CRN45A Pneumatic Coil Roofing Nailer
Air Tool Type:	Air Nailer
Tool Diamensions:	313mmx116mmx271mm(12-3/8"x4-5/8"x10-5/8")
Net Tool Weight:	2.58kgs(5.67lbs)
Body Material:	Aluminum Body
Operate Pressure:	70-120psi(5-8.3bar)
Load Capacity:	120 Nails
Fasteners Type:	15 Degree wire coil roofing nails
Fasteners Head Diameter:	0.413"(10.5mm)
Fasteners Shank Diameter:	0.120"(3.05mm)
Fasteners Length:	3/4"(19mm)-1-3/4"(45mm)

